1	THE HONORABLE JAMES L. ROBART		
2			
3			
4			
5			
67	UNITED STATES DISTRICT COURT WESTERN DISTRICT OF WASHINGTON AT SEATTLE		
9	UNITED STATES OF AMERICA, Plaintiff,) Case No. 2:12-cv-01282-J	LR
10	v.	STIPULATED MOTIONDEADLINE FOR MONI	TOR'S
11 12	CITY OF SEATTLE, Defendant.) NOTED November 18, 20	
13 14)))	
15 16 17	The City of Seattle has conferred with the U.S. Department of Justice and the Monitor and respectfully requests that the Court extend the deadline for filing the Monitor's Compliance Status Update to March 1, 2022. The Monitor requested and the parties have consented to additional time, because a continuance of this deadline would permit the Monitoring Team to continue to expand its public engagement efforts, inform the community on assessment findings, and generate community-driven ideas for the next phase of police reform. Gathering feedback from the community will		
18 19			
20 21			
22			
23			
	STIPULATED MOTION TO EXTEND DE (12-CV-01282-JLR)	EADLINE - 1	Peter S. Holmes Seattle City Attorney 701 Fifth Avenue, Suite 2050 Seattle, WA 98104 (206) 684-8200

1	benefit the Monitoring Team as it develops recommendations to the Court regarding next steps			
2	under the Consent Decree. The feedback also will inform the Monitoring Team's broader			
3	recommendations to the City for how to continue the important work of continuing police reform,			
4	implementing best practices, and building public trust.			
5				
6	Respectfully submitted,			
7	DATED this 18th day of November, 2021.			
8				
9	For the CITY OF SEATTLE PETER S. HOLMES			
10	Seattle City Attorney			
11	s/ Kerala T. Cowart Kerala T. Cowart, WSBA #53649			
12	Assistant City Attorney			
13	Seattle City Attorney's Office 701 Fifth Avenue, Suite 2050			
14	Phone: (206) 733-9001 Fax: (206) 684-8284			
15	Email: kerala.cowart@seattle.gov			
16				
17				
18				
19				
20				
21				
22				
23				

STIPULATED MOTION TO EXTEND DEADLINE - 2 (12-CV-01282-JLR)

Peter S. Holmes Seattle City Attorney 701 Fifth Avenue, Suite 2050 Seattle, WA 98104 (206) 684-8200